

WHITWORTH BORU VİDA			
ANMA ÇAPI	DIŞ ADETİ	DIŞ ÇAPI	MATKAP ÇAPI
1/8	28	9,728	8,8
1/4	19	13,157	11,8
3/8	19	16,662	15,25
1/2	14	20,955	19
5/8	14	22,911	21
3/4	14	26,441	24,5
7/8	14	30,201	28,25
1	11	33,249	30,75
1 1/8	11	37,897	35,5
1 1/4	11	41,910	39,5
1 3/8	11	44,323	42
1 1/2	11	47,803	45,5
1 3/4	11	53,746	51,4
2	11	59,614	57,2
2 1/4	11	65,71	63,3
2 1/2	11	75,184	72,8
2 3/4	11	81,534	79,1
3	11	87,884	85,5

ANSI STANDARDI BORU ÖLÇÜLERİ		
ANMA ÇAPI	DIŞ ÇAP	
1/8	10,29	
1/4	13,72	
5/16	14,61	
3/8	17,15	
1/2	21,34	
5/8	20,875	
3/4	26,67	
7/8		
1	33,4	
1 1/8		
1 1/4	42,16	
1 3/8		
1 1/2	48,26	
1 3/4		
2	60,33	
2 1/2	73,03	
3	88,9	
3 1/2	101,6	
4	114,3	
5	141,3	
6	168,28	
8	219,08	
10	273,05	
12	323,85	
14	355,6	
16	406,4	
18	457,2	
20	508	
22	558,8	
24	609,6	
26	660,4	
28	711,6	
30	762	
32	812,8	
34	863,6	
36	914,4	

BWG VE SWG STANDARDI BORU ÖLÇÜLERİ		
ANMA ÇAPI	DIŞ ÇAP	
1/8		
1/4	6,35	
5/16	7,95	
3/8	9,525	
1/2	12,7	
5/8	15,875	
3/4	19,05	
7/8	22,225	
1	25,4	
1 1/8		
1 1/4	31,75	
1 3/8		
1 1/2	38,1	
1 3/4	44,45	
2	50,8	
2 1/2	63,5	
3	76,2	
3 1/2	88,9	
4	101,6	
5		
6		
8		
10		
12		
14		
16		
18		
20		
22		
24		
26		
28		
30		
32		
34		
36		